

### Prekidačka napajanja sa rešetkastim kućištem

**\* Prekidačko napajanje sa rešetkastim kućištem: 3.3VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	RS-150-3.3	150	85-264	3,3	30	21,20

**\* Prekidačko napajanje sa rešetkastim kućištem: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
108	RS-15-5	15	85-264	5	3	7,90
60	RS-25-5	25	88-264	5	5	9,90
45	RS-35-5	35	88-264	5	7	11,10
60	LRS-35-5	35	85-264	5	7	9,90
45	RS-50-5	50	88-264	5	10	12,40
60	LRS-50-5	50	85-264	5	10	10,90
30	RS-75-5	75	88-264	5	12	14,50
45	LRS-75-5	75	85-264	5	14	13,50
24	RS-100-5	100	88-264	5	16	20,30
40	LRS-100-5	100	85-264	5	18	15,30
20	RS-150-5	150	115/230	5	26	21,20
30	LRS-150F-5	150	115/230	5	22	22,20
15	LRS-200-5	200	115/230	5	40	25,00
15	LRS-350-5	350	115/230	5	60	31,40
9	RSP-500-5	500	85-264	5	90	95,20

**\* Prekidačko napajanje sa rešetkastim kućištem može se koristiti i za rasvetu: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
108	RS-15-12	15	85-264	12	1,3	7,90
60	RS-25-12	25	88-264	12	2,1	9,90
45	RS-35-12	35	88-264	12	3	11,10
60	LRS-35-12	35	85-264	12	3	9,90
45	RS-50-12	50	88-264	12	4,2	12,40
60	LRS-50-12	50	85-264	12	4,2	10,60
30	RS-75-12	75	88-264	12	6	14,50
45	LRS-75-12	75	85-264	12	6	12,80
24	RS-100-12	100	88-264	12	8,5	20,30
40	LRS-100-12	100	85-264	12	8,5	14,40
20	SP-100-12	100	85-264	12	8,5	34,50
24	RSP-100-12	100	85-264	12	8,5	30,20
20	RS-150-12	150	115/230	12	12,5	21,20
30	LRS-150-12	150	115/230	12	12,5	17,70
15	LRS-200-12	200	115/230	12	17	23,80
15	RSP-200-12	200	88-264	12	17	38,90

## Prekidačka napajanja sa rešetkastim kućištem

\* Prekidačko napajanje sa rešetkastim kućištem može se koristiti i za rasvetu: 12VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
15	RSP-320-12	320	88-264	12	26,7	47,60
15	LRS-350-12	350	115/230	12	29	29,90
16	ERPF-400-12	400	90/264	12	30	46,80
12	HRP-450-12	450	85-264	12	37,5	102,90
9	RSP-500-12	500	85-264	12	41,7	95,20
8	HRP-600-12	600	85-264	12	53	107,40
6	RSP-750-12	750	90-264	12	62,5	180,00
6	RSP-1000-12	1000	90-264	12	60	224,00
6	RSP-1500-12	1500	90-264	12	125	329,00
2	SE-1500-12	1500	180-264	12	125	269,00
4	RSP-1600-12	1600	90-264	12	133,3	368,00
6	RSP-2000-12	2000	90-264	12	100	397,00
4	RSP-2400-12	2400	90-264	12	166,7	402,00
4	RSP-3000-12	3000	90-264	12	200	459,00

\* Prekidačko napajanje sa rešetkastim kućištem: 15VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
108	RS-15-15	15	85-264	15	1	7,90
60	RS-25-15	25	88-264	15	1,7	9,90
60	LRS-35-15	35	85-264	15	2,4	9,90
45	LRS-75-15	75	85-264	15	5	12,80
40	LRS-100-15	100	85-264	15	8,5	14,40
30	LRS-150-15	150	115/230	15	10	17,70
15	RSP-200-15	200	88-264	15	13,4	38,90
15	RSP-320-15	320	88-264	15	21,4	47,60
9	RSP-500-15	500	85-264	15	33,4	95,20
6	RSP-750-15	750	90-264	15	50	180,00
6	RSP-1500-15	1500	90-264	15	100	329,00

\* **Prekidačko napajanje sa rešetkastim kućištem može se koristiti i za rasvetu: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
108	RS-15-24	15	85-264	24	0,625	7,90
60	RS-25-24	25	88-264	24	1,1	9,90
45	RS-35-24	35	88-264	24	1,5	11,10
60	LRS-35-24	35	85-264	24	1,5	9,50
45	RS-50-24	50	88-264	24	2,2	12,40
60	LRS-50-24	50	85-264	24	2,2	10,10
30	RS-75-24	75	88-264	24	3,2	14,50
45	LRS-75-24	75	85-264	24	3,2	12,20
24	RS-100-24	100	88-264	24	4,5	20,30
40	LRS-100-24	100	85-264	24	4,5	13,70
20	SP-100-24	100	88-264	24	4,2	34,50
24	RSP-100-24	100	85-264	24	4,2	30,20
20	RS-150-24	150	115/230	24	6,5	21,20
30	LRS-150-24	150	115/230	24	6,5	16,90
15	LRS-200-24	200	115/230	24	8,8	22,50
18	SP-240-24	240	85-264	24	10	44,50
15	RSP-320-24	320	88-264	24	13,4	47,60
15	LRS-350-24	350	115/230	24	14,6	28,60
16	ERPF-400-24	400	90/264	24	16,7	46,80
12	HRP-450-24	450	85-264	24	18,8	102,90
9	RSP-500-24	500	85-264	24	21	95,20
8	HRP-600-24	600	85-264	24	27	107,40
6	RSP-750-24	750	90-264	24	31,3	180,00
6	RSP-1000-24	1000	90-264	24	40	224,00

### Prekidačka napajanja sa rešetkastim kućištem

\* **Prekidačko napajanje sa rešetkastim kućištem: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
6	RSP-1500-24	1500	90-264	24	63	329,00
4	RSP-1600-24	1600	90-264	24	66,6	368,00
6	RSP-2000-24	2000	90-264	24	80	403,30
4	RSP-2400-24	2400	90-264	24	100	402,00
4	RSP-3000-24	3000	90-264	24	125	459,00

\* **Prekidačko napajanje sa rešetkastim kućištem: 27VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
15	RSP-320-27	320	88-264	27	11,9	47,60

\* **Prekidačko napajanje sa rešetkastim kućištem: 36VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	LRS-35-36	35	85-264	36	1	9,90
40	LRS-100-36	100	85-264	36	2,8	14,40
30	LRS-150-36	150	85-264	36	4,3	17,70
15	LRS-200-36	200	85-264	36	5,9	23,80
15	LRS-350-36	350	85-264	36	9,7	29,90

\* **Prekidačko napajanje sa rešetkastim kućištem: 48VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
108	RS-15-48	15	85-264	48	0,313	7,90
60	RS-25-48	25	88-264	48	0,57	9,90
45	RS-35-48	35	88-264	48	0,8	11,10
60	LRS-35-48	35	85-264	48	0,8	9,90
45	RS-50-48	50	88-264	48	1,1	12,40
60	LRS-50-48	50	85-264	48	1,1	10,60
30	RS-75-48	75	88-264	48	1,6	14,50
45	LRS-75-48	75	85-264	48	1,6	12,80
24	RS-100-48	100	88-264	48	2,3	20,30
40	LRS-100-48	100	85-264	48	2,3	14,40
20	SP-100-48	100	88-264	48	2,1	34,50
20	RS-150-48	150	115/230	48	3,3	21,20
30	LRS-150-48	150	115/230	48	3,3	17,70
15	LRS-200-48	200	115/230	48	4,4	23,80
12	SP-320-48	320	88-264	48	6,7	58,90
15	RSP-320-48	320	88-264	48	6,7	47,60
15	LRS-350-48	350	115/230	48	7,3	29,90
9	RSP-500-48	500	85-264	48	10,5	95,20
8	HRP-600-48	600	85-264	48	13	107,40
6	SP-750-48	750	88-264	48	15,7	211,50
6	RSP-1000-48	1000	90-264	48	21	224,00
4	RSP-1600-48	1600	90-264	48	33,5	368,00
6	RSP-2000-48	2000	90-264	48	42	397,00
4	RSP-2400-48	2400	90-264	48	50	402,00
4	RSP-3000-48	3000	90-264	48	62,5	459,00

**Prekidačka napajanja sa rešetkastim kućištem**

\* **Prekidačko napajanje sa punjačem i UPS funkcijom (za sigurnosne sisteme, video nadzor): 12 VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
45	SCP-35-12	35	85-264	13,8	2,6	13,80
30	SCP-50-12	50	85-264	13,8	3,6	16,10
30	SCP-75-12	75	85-264	13,8	5,4	19,90
24	AD-55A	55	88-264	13,8	4,0	23,40
16	AD-155A	155	88-264	13,8	11,5	45,30
100	PSC-35A-C (case)	35	90-264	13,8	2,6	15,80
45	PSC-60A-C (case)	60	90-264	13,8	4,3	23,60
32	PSC-100A-C (case)	100	90-264	13,8	7	35,50
32	PSC-160A-C (case)	160	90-264	13,8	11,6	45,00

\* **Prekidačko napajanje sa punjačem i UPS funkcijom (za sigurnosne sisteme, video nadzor): 24 VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
45	SCP-35-24	35	85-264	27,6	1,4	13,80
30	SCP-50-24	50	85-264	27,6	1,8	16,10
30	SCP-75-24	75	85-264	27,6	2,7	19,90
24	AD-55B	55	88-264	27,6	4,0	23,40
16	AD-155B	155	88-264	27,6	5,5	45,30
100	PSC-35B-C (case)	35	90-264	27,6	1,3	15,80
45	PSC-60B-C (case)	60	90-264	27,6	4,3	23,60
32	PSC-100B-C (case)	100	90-264	27,6	3,5	35,50
32	PSC-160B-C (case)	160	90-264	27,6	5,8	45,00

\* **Prekidačko napajanje sa punjačem i UPS funkcijom u rešetkastom kućištu: 48VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	AD-155C	155	88-264	54,0	2,7	45,30

\* **Industrijsko PC napajanje, 1U ATX**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
45	IPC-300B	300	90-264	/	/	113,40
/	IPC-200	200	90-264	/	/	102,90

**Prekidačka napajanja za DIN šinu**

\* **Prekidačko napajanje za DIN šinu: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
72	MDR-10-5	10	85-264	5	2	10,50
140	DR-15-5	15	85-264	5	2,4	11,40
72	MDR-20-5	20	85-264	5	3	12,50
48	DR-30-5	30	85-264	5	3	14,10
42	MDR-40-5	40	85-264	5	6	16,90
48	DR-45-5	45	85-264	5	5	16,90
42	MDR-60-5	60	85-264	5	10	17,90
160	HDR-15-5	12	85-264	5	2,4	10,40
96	HDR-30-5	15	85-264	5	3	12,80
60	HDR-60-5	32,5	85-264	5	6,5	17,20

\* **Prekidačko napajanje za DIN šinu: 12VDC**

<b>BOX</b>	<b>Model</b>	<b>P(W)</b>	<b>Vin (VAC)</b>	<b>Vout (VDC)</b>	<b>Iout (A)</b>	<b>Cena €</b>
72	MDR-10-12	10	85-264	12	0,84	10,50
140	DR-15-12	15	85-264	12	1,25	11,40
160	HDR-15-12	15	85-264	12	1,25	10,40
72	MDR-20-12	20	85-264	12	1,67	12,50
48	DR-30-12	30	85-264	12	2	14,10
96	HDR-30-12	30	85-264	12	2	12,80
42	MDR-40-12	40	85-264	12	3,33	16,90
48	DR-45-12	45	85-264	12	3,5	16,90
42	MDR-60-12	60	85-264	12	5	17,90
48	DR-60-12	60	88-264	12	4,5	19,20
60	HDR-60-12	60	88-264	12	4,5	17,20
20	DR-75-12	75	88-264	12	6,3	27,80
28	EDR-75-12	75	90-264	12	6,3	21,60
28	NDR-75-12	75	90-264	12	6,3	25,00
28	SDR-75-12	75	88-264	12	6,3	30,20
30	MDR-100-12	100	85-264	12	7,5	32,00
36	DR-100-12	100	88-264	12	7,5	27,40
60	HDR-100-12	100	88-264	12	7,5	25,00
20	DR-120-12	120	180-264	12	10	34,20
20	EDR-120-12	120	90-264	12	10	24,70
20	NDR-120-12	120	90-264	12	10	30,60
20	SDR-120-12	120	88-264	12	10	48,10

\* **Prekidačko napajanje za DIN šinu: 15VDC**

<b>BOX</b>	<b>Model</b>	<b>P(W)</b>	<b>Vin (VAC)</b>	<b>Vout (VDC)</b>	<b>Iout (A)</b>	<b>Cena €</b>
140	DR-15-15	15	85-256	15	1	11,40
72	MDR-20-15	20	85-264	15	1,34	12,50
48	DR-30-15	30	85-256	15	2	14,10
48	DR-60-15	60	88-264	15	4	19,20

## Prekidačka napajanja za DIN šinu

### \* Prekidačko napajanje za DIN šinu: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
72	MDR-10-24	10	85-264	24	0,42	10,50
140	DR-15-24	15	85-264	24	0,63	11,40
160	HDR-15-24	15	85-264	24	0,63	10,40
72	MDR-20-24	20	85-264	24	1	12,50
48	DR-30-24	30	85-264	24	1,5	14,10
96	HDR-30-24	30	85-264	24	1,5	12,80
42	MDR-40-24	40	85-264	24	1,7	16,90
48	DR-45-24	45	85-264	24	2	16,90
42	MDR-60-24	60	85-264	24	2,5	17,90
48	DR-60-24	60	88-264	24	2,5	19,20
60	HDR-60-24	60	88-264	24	2,5	17,20
20	DR-75-24	75	85-264	24	3,2	27,80
28	EDR-75-24	75	90-264	24	3,2	21,60
28	NDR-75-24	75	90-264	24	3,2	25,00
28	SDR-75-24	75	88-264	24	3,2	30,20
30	MDR-100-24	100	85-264	24	4	32,00
36	DR-100-24	100	88-264	24	4,2	27,40
60	HDR-100-24	100	88-264	24	4,2	25,00
20	DR-120-24	120	180-264	24	5	34,20
20	EDR-120-24	120	90-264	24	5	24,70
20	NDR-120-24	120	90-264	24	5	30,60
20	SDR-120-24	120	88-264	24	5	48,10
20	WDR-120-24	120	180-550	24	5	58,00
20	EDR-150-24	150	90-264	24	6,5	26,30
12	NDR-240-24	240	90-264	48	10	45,20
12	DRP-240-24	240	85-264	24	10	52,40
12	SDR-240-24	240	88-264	24	10	82,20
12	WDR-240-24	240	180-550	24	10	112,80
8	NDR-480-24	480	90-264	48	20	88,40
6	DRP-480-24	480	180-264	24	20	90,60
8	SDR-480-24	480	90-264	24	20	133,50
8	WDR-480-24	480	180-550	24	20	143,00
6	SDR-960-24	960	180-264	24	40	215,40

### \* Prekidačko napajanje za DIN šinu: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
42	MDR-40-48	40	85-264	48	0,83	16,90
42	MDR-60-48	60	85-264	48	1,25	17,90
60	HDR-60-48	60	85-264	48	1,25	17,20
20	DR-75-48	75	85-264	48	1,6	27,80
28	EDR-75-48	75	90-264	48	1,6	21,60
28	NDR-75-48	75	90-264	48	1,6	25,00
28	SDR-75-48	75	88-264	48	1,6	30,20
20	DR-120-48	120	180-264	48	2,5	34,20

## Prekidačka napajanja za DIN šinu

### \* Prekidačko napajanje za DIN šinu: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	EDR-120-48	120	90-264	48	2,5	24,70
20	NDR-120-48	120	90-264	48	2,5	30,60
20	SDR-120-48	120	88-264	48	2,5	48,10
20	WDR-120-48	120	180-550	48	2,5	58,00
12	NDR-240-48	240	90-264	48	5	45,20
12	DRP-240-48	240	85-264	48	5	52,40
12	SDR-240-48	240	88-264	48	5	82,20
12	WDR-240-48	240	180-550	48	5	112,80
8	NDR-480-48	480	90-264	48	10	90,60
6	DRP-480-48	480	180-264	48	10	90,60
8	SDR-480-48	480	90-264	48	10	133,50
6	SDR-960-48	960	180-264	48	20	215,40

### \* Napajanje za DIN šinu sa programiranjem izlaznog nivoa struje od 10% do 100%

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
42	DRA-40-12	40	85-264	12	0~3,34	20,10
42	DRA-60-12	60	85-264	12	0~5	22,10

### \* Prekidačko napajanje za DIN šinu za 2f i 3f ulazne napone: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	DRH-120-24	120	2f 340-550	24	5	49,30
12	DRT-240-24	240	3f 340-550	24	10	65,10
6	DRT-480-24	480	3f 340-550	24	20	103,30
8	TDR-480-24	480	3f 340-550	24	20	107,30
4	DRT-960-24	960	3f 340-550	24	40	193,60
6	TDR-960-24	960	3f 340-550	24	40	235,00

### \* Prekidačko napajanje za DIN šinu za 2f i 3f ulazne napone: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
8	TDR-480-48	480	3f 340-550	48	10	107,30
6	TDR-960-48	960	3f 340-550	48	20	235,00
4	DRT-960-48	960	3f 340-550	48	20	193,60

## Prekidačka napajanja za DIN šinu

### \* Prekidačko napajanje sa UPS funkcijom za DIN šinu (za sigurnosne sisteme): 12VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
42	DRC-40A	40	90-264	13,8	2,9	22,10
42	DRC-60A	60	90-264	13,8	4,3	25,80
30	DRC-100A	100	90-264	13,8	7,0	37,00

### \* Prekidačko napajanje sa UPS funkcijom za DIN šinu (za sigurnosne sisteme): 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
42	DRC-40B	40	90-264	27,6	1,45	22,10
42	DRC-60B	60	90-264	27,6	2,15	25,80
30	DRC-100B	100	90-264	27,6	1,25	37,00



\* **Prekidačko napajanje za DIN šinu sa redundansnom i UPS funkcijom**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	DR-RDN20**		21-28	24	0-20	22,20
20	DR-UPS40		24-29	24	0-40	37,40

\*\*2 kanala

**DC/DC konvertor DIN RAIL TYPE**

\* **DC/DC konvertori din rail type : 5VDC**

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
160	DDR-15L-5	15	18~75	5	3	16,80

\* **DC/DC konvertori din rail type : 12VDC**

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
160	DDR-15G-12	15	9~36	12	1,25	16,80
96	DDR-30G-12	30	9~36	12	2,5	22,40
60	DDR-60G-12	60	9~36	12	5	24,75
60	DDR-60L-12	60	18~75	12	5	24,75
28	DDR-120A-12	120	9~18	12	10	51,75
28	DDR-120B-12	120	16,8~33,6	12	10	51,75

\* **DC/DC konvertori din rail type : 24VDC**

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
160	DDR-15G-24	15	9~36	24	0,63	16,80
96	DDR-30G-24	30	9~36	24	1,25	22,40
60	DDR-60G-24	60	9~36	24	2,5	24,75
28	DDR-120A-24	120	9~18	24	5	51,75
28	DDR-120B-24	120	16,8~33,6	24	5	51,75
28	DDR-120C-24	120	33,6~67,2	24	5	51,75
28	DDR-120D-24	120	67,2~154	24	5	51,75
	DDR-240B-24	240	16,8~33,6	24	10	75,90
	DDR-240C-24	240	33,6~67,2	24	10	75,90
	DDR-240D-24	240	67,2~154	24	10	75,90

**Accessory**

BOX	Model	Cena €	Napomena
1	DRP02		dodatak za montažu na DIN RAIL LRS-75, S-15, S-
1	DRP03		dodatak za montažu na DIN RAIL ALL MODELS
100	TBC-05		zaštita za terminal blok SD-50, RS-75, SD-25, RS-
100	TBC-07		zaštita za terminal blok RD-85,RS-100, RS-125, RS-
1	DR-UPS40-BAT12/5	55	Baterija 12V/5Ah DIN RAIL
1	DR-UPS40-BAT12/7	60	Baterija 12V/7Ah DIN RAIL
1	DR-UPS40-BAT24/2,3	67	Baterija 24V/2,3Ah DIN RAIL
1	DR-UPS40-BAT24/5	75	Baterija 24V/5Ah DIN RAIL
1	DR-UPS40-BAT24/7	95	Baterija 12V/5Ah DIN RAIL
1	DR-UPS40-BAT24/12	105	Baterija 24V/12Ah DIN RAIL

## Prekidačka napajanja bez kućišta

\* Prekidačko napajanje bez kućišta / industrijsko napajanje - modularno: 3,3VDC

BOX	Model	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
560	IRM-03-3.3	85-305	3,3	0,9	4,40

\* Prekidačko napajanje bez kućišta / industrijsko napajanje - modularno: 5VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
640	IRM-02-5	2	85-305	5	0,4	4,20
560	IRM-03-5	3	85-305	5	0,6	4,40
270	IRM-05-5	5	85-264	5	1	6,30
270	IRM-10-5	10	85-305	5	2	6,70
240	IRM-20-5	20	85-305	5	4	8,80
240	IRM-20-5	20	85-264	5	4	8,80
144	IRM-30-5	30	85-264	5	6	11,40
60	IRM-45-5	40	85-264	5	8	11,40
60	IRM-60-5	50	85-264	5	10	13,10

\* Prekidačko napajanje bez kućišta / industrijsko napajanje -modularno: 12VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
560	IRM-03-12	3	85-305	12	0,25	4,40
270	IRM-10-12	10	85-305	12	0,85	6,70
144	IRM-30-12	30	85-264	12	2,5	11,40
120	IRM-30-12ST	30	85-264	12	2,5	12,90
60	IRM-45-12	45	85-264	12	3,8	11,40
60	IRM-60-12	60	85-264	12	5	13,10

\* Prekidačko napajanje bez kućišta / industrijsko napajanje - modularno: 15VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
270	IRM-05-15	5	85-264	15	0,33	6,30
240	IRM-15-15	15	85-264	15	1	7,60

## Prekidačka napajanja bez kućišta

\* Prekidačko napajanje bez kućišta / industrijsko napajanje -modularno: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	IRM-45-24	45	85-264	24	1,9	11,40
60	IRM-60-24	60	85-264	24	2,5	13,10

\* Prekidačko napajanje bez kućišta / industrijsko napajanje -modularno: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	IRM-60-48	60	85-264	48	1,25	13,10

\* Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 3,3VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
36	PPS-125-3.3	66	90-264	3,3	9,3	45,90

\* **Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	PS-15-5	15	85-264	5	2,8	6,60
72	PS-45-5	45	85-264	5	8	11,20
45	EPS-45-5C	40	90-264	5	8	15,60
120	EPS-45S-5C	40	90-264	5	8	13,30
96	EPS-65-5	55	90-264	5	11	11,80

\* **Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 7,5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
96	EPS-65-7.5	60	90-264	7,5	8	11,80

\* **Prekidačko napajanje bez kućišta sa PFC: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	EPP-100-12	75,6//102	90-264	12	6,3/8,5	31,10
120	EPP-150-12	100,8/150	85-264	12	8,4/12,5	33,90
120	EPP-200-12	200	85-264	12	2,8	35,60

\* **Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	PS-15-12	15	85-264	12	1,25	6,60
96	PS-25-12	25	85-264	12	2,1	10,10
72	PS-45-12	45	85-264	12	3,7	11,20
54	PS-65-12	65	85-264	12	5,2	12,40
54	PS-65-13,5	65	85-264	13,5	4,7	12,40
36	PPS-125-13,5	125	90-264	13,5	9,3	45,90
120	EPS-25-12	25	85-264	12	2,1	10,10
120	EPS-35-12	36	85-264	12	3	10,10
96	EPS-45-12	45	85-264	12	3,75	10,80
45	EPS-45-12C	45	85-264	12	3,75	15,60
96	EPS-65-12	65	90-264	12	5,42	11,80

\* **Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 15VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
72	PS-45-15	45	90-264	15	3	11,20
120	EPS-35-15	36	85-264	15	2,4	10,10

**Prekidačka napajanja bez kućišta**

\* **Prekidačko napajanje bez kućišta / industrijsko napajanje - general P.C.B.: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	PS-15-24	15	85-264	24	0,625	6,60
72	PS-45-24	45	90-264	24	1,9	11,20
54	PS-65-24	65	85-264	24	2,7	12,40
36	PPS-125-27	125	90-264	27	4,6	45,90
96	EPS-65-24	65	90-264	24	2,71	11,80
45	EPS-65-24C	65	90-264	24	2,71	15,40
72	EPS-120-24	120	80-264	24	3,5	15,40

\* **Prekidačko napajanje bez kućišta sa PFC: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
36	EPP-400-24	252/400,8	80-264	24	10,5/16,7	57,90

\* **Prekidačko napajanje bez kućišta / medicinsko napajanje - zaliveno: 3,3VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	PM-15-3.3	15	85-264	3,3	3,5	10,90

\* **Prekidačko napajanje bez kućišta / medicinsko napajanje - P.C.B.: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
72	MPS-45-5	45	88-264	5	8,0	20,90
120	RPS-45-5	45	80-264	5	8,0	12,20

\* **Prekidačko napajanje bez kućišta / medicinsko napajanje - P.C.B.: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	NFM-10-12	10	85-264	12	0,85	8,50
120	NFM-15-12	15	85-264	12	1,25	9,40
105	NFM-20-12	20	85-264	12	1,8	12,10
72	MPS-45-12	45	88-264	12	3,7	20,90
120	RPS-45-12	45	80-264	12	3,8	12,20

\* **Prekidačko napajanje bez kućišta / medicinsko napajanje - P.C.B.: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
120	NFM-15-24	15	85-264	24	0,63	9,40
72	RPS-120-24	120	80-264	24	5	18,60

\* **Prekidačko napajanje bez kućišta / medicinsko napajanje - P.C.B.: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
72	MPS-30-48	30	88-264	48	0,6	18,00
120	RPS-30-48	30	80-264	48	0,625	10,40

## NAPAJANJA ZA LED RASVETU

Napajanja za LED osvetljenje u plastičnom kućištu bez PFC-a, sa IP42/67, 2 godine garancija

\* **Konstantan izlazni napon: 5VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
40	LPV-35-5	35	90-264	5	0~5	12,70
32	LPV-60-5	60	90-264	5	0~8	14,30
20	LPV-100-5	100	90-264	5	0~12	23,80

\* **Konstantan izlazni napon: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APV-8-12	8	90-264	12	0~0,67	4,40
120	APV-12-12	12	90-264	12	0~1	5,00
120	APV-16-12	16	90-264	12	0~1,25	5,30
70	LPH-18-12	18	180-264	12	0~1,5	6,50
72	APV-25-12	25	90-264	12	0~2,1	9,40
72	APV-35-12	35	90-264	12	0~3	10,40
60	LPV-20-12	20	90-264	12	0~1,67	8,90
40	LPV-35-12	35	90-264	12	0~3	12,70
32	LPV-60-12	60	90-264	12	0~5	14,30
20	LPV-100-12	100	90-264	12	0~8,5	23,80
20	LPV-150-12	120	90-264	12	0~10	32,60

\* **Konstantan izlazni napon: 24VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APV-8-24	8	90-264	24	0~0,34	4,40
120	APV-12-24	12	90-264	24	0~0,5	5,00
120	APV-16-24	16	90-264	24	0~0,67	5,30
70	LPH-18-24	18	180-264	24	0~0,75	6,50
60	LPV-20-24	20	90-264	24	0~0,84	8,90
72	APV-25-24	25	90-264	24	0~1,05	9,40
72	APV-35-24	35	90-264	24	0~1,5	10,40
40	LPV-35-24	35	90-264	24	0~1,5	12,70
32	LPV-60-24	60	90-264	24	0~2,5	14,30
20	LPV-100-24	100	90-264	24	0~4,2	23,80
20	LPV-150-24	150	90-264	24	0~6,3	32,60

\* **Konstantan izlazni napon: 36VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
32	LPV-60-36	60	90-264	36	0~1,67	14,30

\* **Konstantna izlazna struja: 250mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APC-8-250	8	90-264	16~32	0,25	4,40

\* **Konstantna izlazna struja: 350mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APC-8-350	8	90-264	11~23	0,35	4,40
120	APC-12-350	12	90-264	9~36	0,35	5,20
120	APC-16-350	16	90-264	12~48	0,35	5,70
72	APC-25-350	25	90-264	25~70	0,35	10,10
72	APC-35-350	35	90-264	28~100	0,35	11,20
60	LPC-20-350	20	90-264	9~48	0,35	8,90

\* **Konstantna izlazna struja: 500mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APC-8-500	8	90-264	8~16	0,5	4,40
72	APC-25-500	25	90-264	15~50	0,5	10,10
72	APC-35-500	35	90-264	25~70	0,5	11,20

**Napajanja za LED osvetljenje u plastičnom kućištu bez PFC-a, sa IP42/67, 2 godine garancija**

\* **Konstantna izlazna struja: 700mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
144	APC-8-700	8	90-264	6~11	0,7	4,40
120	APC-12-700	12	90-264	9~18	0,7	5,20
120	APC-16-700	16	90-264	9~24	0,7	5,70
60	LPC-20-700	20	90-264	9~30	0,7	8,90
40	LPC-35-700	35	90-264	9~48	0,7	12,70
72	APC-25-700	25	90-264	11~36	0,7	10,10
72	APC-35-700	35	90-264	15~50	0,7	11,20
20	LPC-100-700	100	90-264	72~143	0,7	24,10
20	LPC-150-700	150	90-264	107~215	0,7	32,40

\* **Konstantna izlazna struja: 1050mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
40	LPC-35-1050	35	90-264	9~30	1,05	12,70
32	LPC-60-1050	60	90-264	9~48	1,05	14,30
20	LPC-150-1050	150	90-264	74~148	1,05	32,40

\* **Konstantna izlazna struja: 1400mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
40	LPC-35-1400	35	90-264	9~24	1,4	12,70
32	LPC-60-1400	60	90-264	9~42	1,4	14,30

\* **Konstantna izlazna struja: 1750mA**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
32	LPC-60-1750	60	90-264	9~34	1,75	14,30

\* **Konstantna izlazna struja + konstantan izlazni napon**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
40	LPF-25-42	25	90-305	42	0,6	18,50
32	LPF-40-54	40	90-305	54	0,76	24,10

## Napajanja za LED osvetljenje u plastičnom kućištu (sa PFC-a)

### \* Konstantna izlazna struja

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	PLM-40E-350	40	180-295	53-105	0,35	12,50
60	PLM-25E-700	25	180-295	21-36	0,70	9,30
60	PLM-40E-700	40	180-295	29-57	0,70	12,50
60	PLM-40E-1050	40	180-295	19-38	1,05	12,50

### \* Konstantan izlazni napon(pulsno širinsko upravljanje dimovanja kod led traka): 12VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
30	PWM-40-12	40	90-305	12	0~3,34	25,60
30	PWM-60-12	60	90-305	12	0~5	27,90
18	PWM-90-12	90	90-305	12	0~7,5	41,60
15	PWM-120-12	120	90-305	12	0~10	47,40
15	PWM-120-12DA	120	90-305	12	0~10	53,40

## Napajanja za LED osvetljenje u plastičnom kućištu (sa PFC-a)

### \* Konstantan izlazni napon: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
54	IDLV-25-24	25	90-295	24	1,05	13,70
60	PLN-30-24	30	90-295	24	1,25	18,50
24	ODLV-45-24	45	90-295	24	1,88	17,40
24	PLN-60-24	60	90-295	24	2,50	29,00
30	PWM-60-24	60	90-305	24	0~2,5	27,90
20	PLN-100-24	100	90-295	24	4,00	36,60
15	PWM-120-24	120	90-305	24	0~5	47,40

### \* Konstantna izlazna struja: 700mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
81	IDPC-65-700	65	180-295	69-93	0,7	18,80

### \* Dimabilna LED napajanja / plastično kućište sa PFC-om, mogućnost podešavanja više strujnih izlaza

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (mA)	Cena €
72	LCM-25** 3 in 1 dimming	25	180-277	6-54	350	21,10
				6-50	500	
				6-42	600	
				6-36	700	
				6-28	900	
				6-24	1050	
72	LCM-25DA** DALI + push dimming	25	180-277	6-54	350	26,30
				6-50	500	
				6-42	600	
				6-36	700	
				6-28	900	
				6-24	1050	
54	LCM-40** 3 in 1 dimming	40	180-277	6-54	350	27,90
				6-50	500	
				6-42	600	
				6-36	700	
				6-28	900	
				6-24	1050	

54	LCM-40DA** DALI + push dimming	40	180-295	2-100	350	32,60
				2-80	500	
				2-67	600	
				2-57	700	
				2-45	900	
				2-40	1050	
54	LCM-60** 3 in 1 dimming	60	180-295	2-90	500	29,30
				2-90	600	
				2-86	700	
				2-67	900	
				2-57	1050	
				2-42	1400	
54	LCM-60DA** DALI + push dimming	60	180-295	2-90	500	35,00
				2-90	600	
				2-86	700	
				2-67	900	
				2-57	1050	
				2-42	1400	

**Napajanja za LED osvetljenje u metalnom al kućištu sa PFC-om,sa IP65/67, 3 godine garancija**

**Napajanja za LED osvetljenje u metalnom al kućištu sa PFC-om,sa IP65/67, 5 i 7 godina garancije**

**\* LED napajanja / metalno kućište sa PFC-om: 12VDC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	HLG-40H-12_	40	90-305	12	3,33	30,00
16	ELG-75-12	60	100-305	12	5	28,60
16	ELG-75-12A*	60	100-305	12	5	28,60
16	ELG-75-12B**	60	100-305	12	5	30,30
16	HLG-80H-12_	80	90-305	12	5	39,70
12	HLG-120H-12_	120	90-305	12	10	48,70
16	ELG-150-12	120	100-305	12	10	35,40
16	ELG-150-12A*	120	100-305	12	10	35,40
16	ELG-150-12B**	120	100-305	12	10	36,90
16	ELG-150-12DA	120	100-305	12	10	40,10
12	HLG-150H-12_	150	90-305	12	12,5	49,40
12	HLG-185H-12_	185	90-305	12	13	53,30
12	HLG-185H-12A	185	90-305	12	13	53,30
12	ELG-200-12	196	100-305	12	16	39,60
12	ELG-200-12A*	196	100-305	12	16	39,60
12	ELG-200-12B**	196	100-305	12	16	41,30
12	HLG-240H-12_	240	90-305	12	16	65,90
8	HLG-320H-12_	320	90-305	12	22	91,50



\* LED napajanja / metalno kućište sa PFC-om: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-75-24	60	100-305	24	3,15	28,60
16	ELG-75-24A*	60	100-305	24	3,15	28,60
16	ELG-75-24B**	60	100-305	24	3,15	30,30
16	HLG-80H-24_	80	90-305	24	3,4	39,70
16	ELG-100-24	96	100-305	24	4	32,60
16	ELG-100-24A*	96	100-305	24	4	32,60
16	ELG-100-24B**	96	100-305	24	4	34,10
12	HLG-120H-24_	120	90-305	24	5	48,70
16	ELG-150-24	150	100-305	24	6,25	32,60
16	ELG-150-24A*	150	100-305	24	6,25	32,60
16	ELG-150-24B**	150	100-305	24	6,25	36,90
16	ELG-150-24DA	150	100-305	24	6,25	40,10
12	HLG-150H-24_	150	90-305	24	6,3	49,80
12	HLG-185H-24_	185	90-305	24	7,8	53,30

\* LED napajanja / metalno kućište sa PFC-om: 24VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
12	ELG-200-24	202	100-305	24	8,4	39,60
12	ELG-200-24A*	202	100-305	24	8,4	39,60
12	ELG-200-24B**	202	100-305	24	8,4	41,30
12	ELG-240-24	240	100-305	24	10	44,90
12	ELG-240-24A*	240	100-305	24	10	44,90
12	ELG-240-24B**	240	100-305	24	10	46,80
12	HLG-240H-24_	240	90-305	24	10	65,90
8	HLG-320H-24_	320	90-305	24	13,34	91,50
4	HLG-480H-24_	480	90-305	24	20	118,00

\* LED napajanja / metalno kućište sa PFC-om: 36VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-75-36A	75	100-305	36	2,1	28,60
16	ELG-75-36DA	75	100-305	36	2,1	34,50
16	ELG-100-36D2	100	100-305	36	2,66	33,90
16	ELG-100-36D2-3Y	100	100-305	36	2,66	41,40
16	ELG-150-36A	150	100-305	36	4,17	35,40
20	HLG-40H-36_	40	90-305	36	1,12	30,00
20	HLG-60H-36_	60	90-305	36	1,7	32,90

\* LED napajanja / metalno kućište sa PFC-om: 42VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
12	HLG-120H-42A	120	90-305	42	2,9	48,70

\* LED napajanja / metalno kućište sa PFC-om: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	HLG-60H-48_	60	90-305	48	1,3	32,90
16	ELG-75-48DA	75	100-305	48	1,6	34,50
16	ELG-100-48DA	96	100-305	48	2	0,00
16	ELG-150-48DA	150	100-305	48	3,13	0,00
12	ELG-200-48DA	200	100-305	48	4,16	0,00
12	ELG-240-48DA	240	100-305	48	5	0,00
12	HLG-150H-48A	150	90-305	48	3,2	49,80
12	HLG-240H-48A	240	90-305	48	5	65,90
8	HLG-320H-48	240	90-305	48	6,7	91,50

\* LED napajanja / metalno kućište sa PFC-om: 54VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-150-54A	150	100-305	54	2,8	35,40

\* LED napajanja / metalno kućište sa PFC-om: 350mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	HLG-60H-C350A	60	90-305	100-200	0,35	32,90
16	ELG-100-C350B	100	100-305	143-286	0,35	33,10

\* LED napajanja / metalno kućište sa PFC-om: 500mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-75-C500	75	100-305	75-150	0,5	28,60
16	ELG-75-C500A	75	100-305	75-150	0,5	28,60

\* LED napajanja / metalno kućište sa PFC-om: 700mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
18	HVGC-65-C700A	65	180-528	9-93	0,7	45,50
16	ELG-75-C700A	75	100-305	53-107	0,7	28,60
16	ELG-75-C700B	75	100-305	53-107	0,7	30,30
16	ELG-100-C700A	100	100-305	71-143	0,7	32,60
16	ELG-100-C700B	100	100-305	71-143	0,7	33,10
16	ELG-100-C700DA	100	100-305	71-143	0,7	38,10
12	HLG-240H-C700A	240	90-305	143-286	0,7	52,90

\* LED napajanja / metalno kućište sa PFC-om: 1050mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-75-C1050A	75	100-305	35-71	1,05	28,60
16	ELG-75-C1050D2	75	100-305	35-71	1,05	34,10
16	ELG-75-C1050DA	75	100-305	35-71	1,05	34,50
16	ELG-100-C1050A	100	100-305	48-95	1,05	32,60
16	ELG-100-C1050D2	100	100-305	48-95	1,05	37,90
12	HLG-185H-C1050A	185	90-305	95-190	1,05	53,30
12	ELG-200-C1050A	200	100-305	95-190	1,05	43,70
8	HLG-320H-C1050A	320	90-305	152-305	1,05	91,50
12	HVGC-150-1050A	150	180-528	15-143	1,05	61,10

\* LED napajanja / metalno kućište sa PFC-om: 1400mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	ELG-100-C1400A	100	100-305	27-54	1,4	32,60
16	ELG-150-C1400	150	100-305	54-107	1,4	35,30
12	ELG-200-C1400A	200	100-305	71-142	1,4	43,70
4	HLG-480H-C1400A	480	90-305	171-341	1,4	118,10

\* LED napajanja / metalno kućište sa PFC-om: 2100mA

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
/	HVGC-480-M-AB	480	100-305	92-228,5	2,1	145,20

**SLIM LED POWER CONSTANT CURRENT IP65(linijski-slim)**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
54	LDC-35	35	180~295	27~56	0,3~1	21,50
54	LDC-35B	35	180~295	27~56	0,3~1	22,80
54	LDC-35DA	35	180~295	27~56	0,3~1	26,10
48	LDC-55	55	180~295	27~56	0,5~1,6	22,80
48	LDC-55B	55	180~295	27~56	0,5~1,6	24,45
48	LDC-55DA	55	180~295	27~56	0,5~1,6	27,90
40	LDC-80	80	180~295	27~56	0,7~2,1	24,45
40	LDC-80B	80	180~295	27~56	0,7~2,1	26,10
40	LDC-80DA	80	180~295	27~56	0,7~2,1	29,55

**A-tip:** IP65. konstantan izlazni napon sa mogućnošću podešavanja: izlaznog napona +10% od deklarisanog i izlazne struje -50% od deklarisanog, podešavanje pomoću potenciometara.

**A-tip:** IP65, kod drivera sa konstantnom izlaznom strujom može se smanjiti izlazna struja do 50% od deklarisanog

\*\* B tip: IP67. Dimovanje 3 u 1.

\*\*\* DA tip: IP67. DALI upravljanje.

\_ Blank, A, B, C, D tip

**Napajanja za LED osvetljenje - PCB tip sa PFC-om**

\* LED napajanja / PCB tip sa PFC-om: 48VDC

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	PLP-20-48	20	90-277	48	0,42	12,90
96	PLP-45-48	45	90-277	48	0,95	13,10
96	PLP-60-48	60	90-277	48	1,3	18,30
96	HLP-80H-36	80	90-305	36	2,3	27,60

## DC-DC LED driver

BOX	Model	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
576	LDD-300LW	9~36	2~32	0,3	3,80
576	LDD-300HW	9~56	2~52	0,3	5,55
576	LDD-350LW	9~36	2~32	0,35	3,80
576	LDD-350HW	9~56	2~52	0,35	5,55
576	LDD-500LW	9~36	2~32	0,5	3,80
576	LDD-500HW	9~56	2~52	0,5	5,55
576	LDD-600LW	9~36	2~32	0,6	3,80
576	LDD-600HW	9~56	2~52	0,6	5,55
576	LDD-700LW	9~36	2~32	0,7	3,80
576	LDD-700HW	9~56	2~52	0,7	5,55
100	LDH-45A-1050W	9~18	12~43	0,3	9,30
100	LDH-45A-500W	9~18	12~86	0,35	9,30
100	LDH-45A-700W	9~18	12~64	0,5	9,30
100	LDH-45B-350W	18~32	21-126	0,6	9,30
100	LDH-45B-500W	18~32	21-86	0,7	9,30

\* **Prekidačko napajanje, okruglo sa PFC**

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
270	HBG-160-24A	160	90-295	24	6,5	48,10
144	HBG-240-36A	240	90-295	36	6,7	65,50
120	HBG-60-1050	60	90-295	37~55	1,05	19,70

## Accessory

BOX	Model	Cena €	Napomena
1	WPD-06KIT	229,50	Dalinski DC dimer kit (En-ocean Dimmer Kit)
1	DAP-04-S01	26,90	4-kanalni konveror iz DALI u PWM signal
160	PIR-045	28,5	PIR - Passive Infrared Sensor (Photoelectric)
18	SPD-20-240P	9,9	Uređaj za zaštitu od prenapona
84	SDP-001	12,7	Smart Timer Dimming Programme
84	SBP-001	49,5	Smart Battery Charging Programmer

## DC/DC konvertor

\* DC/DC konvertori sa kućištem: 5VDC

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
120	SD-15B-5	15	19-36	5	3	11,10
120	SD-15C-5	15	36-72	5	3	11,10
45	SD-25A-5	25	9-18	5	5	19,10
45	SD-25B-5	25	19-36	5	5	19,10
24	SD-50A-5	50	9~8	5	3	23,90
24	SD-50B-5	50	19-36	5	4,2	23,90
20	SD-100B-5	100	19-36	5	4,2	30,10
12	SD-200B-5	200	19-36	5	34	65,90

\* DC/DC konvertori sa kućištem: 12VDC

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
120	SD-15A-12	15	9-18	12	1,25	11,10
120	SD-15B-12	15	19-36	12	1,25	11,10
120	SD-15C-12	15	36-72	12	1,25	11,10
45	SD-25A-12	25	9-18	12	2,1	19,10
45	SD-25B-12	25	19-36	12	2,1	19,10
45	SD-25C-12	25	36-72	12	2,1	19,10
24	SD-50A-12	50	9-18	12	2,1	23,90
24	SD-50B-12	50	19-36	12	4,2	23,90
24	SD-50C-12	50	36-72	12	2,1	23,90
20	SD-100C-12	100	36~72	12	8,5	30,10
16	SD-150B-12	150	19~36	12	12,5	39,80
12	SD-200C-12	200	36~72	12	16,7	65,90
12	SD-350B-12	350	19~36	12	27,5	79,30
12	SD-350D-12	350	72~144	12	29,2	79,30

\* DC/DC konvertori sa kućištem: 24VDC

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
120	SD-15A-24	15	9-18	24	0,625	11,10
120	SD-15B-24	15	19-36	24	0,625	11,10
120	SD-15C-24	15	36-72	24	0,625	11,10
45	SD-25A-24	25	9-18	24	1,1	19,10
45	SD-25B-24	25	19-36	24	1,1	19,10
24	SD-50A-24	50	9-18	24	2,1	23,90
24	SD-50B-24	50	19-36	24	2,1	23,90
24	SD-50C-24	50	36-72	24	2,1	23,90
20	SD-100B-24	100	19-36	24	4,2	30,10
16	SD-150B-24	150	19-36	24	6,3	39,80
16	SD-150C-24	150	36-72	24	6,3	39,80
16	SD-150D-24	150	72~144	24	6,3	39,80
12	SD-200C-24	200	36~72	24	8,4	65,90
12	SD-350D-24	350	72~144	24	14,6	79,30
12	SD-500L-24	500	19~72	24	21	118,80

\* DC/DC konvertori sa kućištem: 48VDC

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
12	SD-500L-48	500	19~72	48	10,5	118,80

## DC/DC konvertor

### \* DC/DC konvertori (Železnički): 3.3VDC

BOX	Model	Pout(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
56	RSD-30G-3,3	19,8	9-36	3,3	6	23,10
56	RSD-30L-3,3	19,8	18-72	3,3	6	23,10
56	RSD-30H-3,3	19,8	40-160	3,3	6	23,10
48	RSD-60G-3,3	39,6	9-36	3,3	12	29,70
48	RSD-60L-3,3	39,6	18-72	3,3	12	29,70
48	RSD-60H-3,3	39,6	40-160	3,3	12	29,70

### \* DC/DC konvertori (Železnički): 5VDC

BOX	Model	Pout(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
56	RSD-30G-5	30	9-36	5	6	23,10
56	RSD-30L-5	30	18-72	5	6	23,10
56	RSD-30H-5	30	40-160	5	6	23,10
48	RSD-60G-5	60	9-36	5	12	29,70
48	RSD-60L-5	60	18-72	5	12	29,70
48	RSD-60H-5	60	40-160	5	12	29,70
20	RSD-100B-5	100	14,4-33,6	5	20	52,30
15	RSD-150B-5	150	14,4-33,6	5	30	67,50

### \* DC/DC konvertori (Železnički): 12VDC

BOX	Model	Pout(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
56	RSD-30G-12	30	9-36	12	2,5	23,10
56	RSD-30L-12	30	18-72	12	2,5	23,10
56	RSD-30H-12	30	40-160	12	2,5	23,10
48	RSD-60G-12	60	9-36	12	5	29,70
48	RSD-60L-12	60	18-72	12	5	29,70
48	RSD-60H-12	60	40-160	12	5	29,70
24	RSD-100B-12	100	14,4-33,6	12	8,4	52,30
20	RSD-100D-12	100	57,6-154	12	8,4	52,30
15	RSD-150B-12	150	14,4-33,6	12	12,5	67,50

### \* DC/DC konvertori (Železnički): 24VDC

BOX	Model	Pout(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
56	RSD-30G-24	30	9-36	24	1,25	23,10
56	RSD-30L-24	30	18-72	24	1,25	23,10
56	RSD-30H-24	30	40-160	24	1,25	23,10
48	RSD-60G-24	60	9-36	24	2,5	29,70
48	RSD-60L-24	60	18-72	24	2,5	29,70
48	RSD-60H-24	60	40-160	24	2,5	29,70
20	RSD-100C-24	100	28,8-67,2	24	4,2	52,30
20	RSD-100D-24	100	57,6-154	24	4,2	52,30
12	RSD-200C-24	200	28,8-67,2	24	8,4	88,50

## DC/DC konvertor

### \* Konvertori modularnog tipa

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
15	SPA01A-05	1	9~18	5	0,02-0,2	7,20
15	SCW03A-05	3	9~18	5	0,6	8,00
15	SCW03B-05	3	18~36	5	0,6	8,00
15	SCW03C-05	3	36~72	5	0,6	8,00
/	DCW03B-05	5	18~36	5	1	7,20
15	SCW05B-05	5	18~36	5	1	9,00
15	SCW12B-12	12	18~36	12	1	14,10
15	SKM10B-05	10	18~36	5	2	16,70

### \* DC/DC konvertori bez kućišta

BOX	Model	P(W)	Vin (VDC)	Vout (VDC)	Iout (A)	Cena €
120	PSD-15C-05	15	36~72	5	3	7,90
120	PSD-15A-12	15	8~18	12	1,25	7,90
120	PSD-15B-12	15	19-36	12	1,25	7,90
96	PSD-30B-12	30	18-36	12	2,5	11,90
96	PSD-30C-12	30	36~72	12	2,5	11,90

## DC/AC INVERTORI

### \* Vin 12 VDC (sa modifikovanim sinusnim izlazom)

BOX	Model	Vin (VDC)	Vout (VAC)	Pout (W)	Cena €
30	A301-100-F3	10-15	230	100	25,00
20	A301-150-F3	10-15	230	150	26,00
16	A301-300-F3	10-15	230	300	37,20
8	A301-600-F3	10-15	230	600	71,90
4	A301-1K0-F3	10-15	230	1000	143,00
3	A301-1K7-F3	10-15	230	1700	206,90
2	A301-2K5-F3	10-15	230	2500	387,90

### \* Vin 24 VDC (sa modifikovanim sinusnim izlazom)

BOX	Model	Vin (VDC)	Vout (VAC)	Pout (W)	Cena €
30	A302-100-F3	10-15	230	100	25,00
20	A302-150-F3	21-30	230	150	26,00
16	A302-300-F3	21-30	230	300	37,20
8	A302-600-F3	21-30	230	600	71,90
4	A302-1K0-F3	21-30	230	1000	143,00
3	A302-1K7-F3	21-30	230	1700	206,90
2	A302-2K5-F3	21-30	230	2500	387,90

## DC/AC INVERTORI

\* Vin= 12 VDC (sa pravim sinusom)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
6	TS-200-212B	10,5-15	230/50	200	118,60
6	TS-400-212B	10,5-15	230/50	400	127,30
2	TS-700-212B	10,5-15	230/50	700	243,10
2	TS-1000-212B	10,5-15	230/50	1000	262,60
2	TS-1500-212B	10,5-15	230/50	1500	450,00
1	TS-3000-212B	10,5-15	230/50	3000	740,00

\* Vin 24 VDC (sa pravim sinusom)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
6	TS-200-224B	21-30	230/50	200	118,60
6	TS-400-224B	21-30	230/50	400	127,30
2	TS-700-224B	21-30	230/50	700	241,00
2	TS-1000-224B	21-30	230/50	1000	262,60
2	TS-1500-224B	21-30	230/50	1500	450,00
1	TS-3000-224B	21-30	230/50	3000	750,00

\* Vin 48 VDC (sa pravim sinusom)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
6	TS-200-248B	42-60	230/50	200	118,60
6	TS-400-248B	42-60	230/50	400	127,30
2	TS-700-248B	42-60	230/50	700	241,00
2	TS-1000-248B	42-60	230/50	1000	262,60
2	TS-1500-248B	42-60	230/50	1500	450,00
2	TS-3000-248B	42-60	230/50	3000	750,00

\* Vin 12 VDC (SOLARNI invertori)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
2	TN-1500-212B	10,5-15	230/50	1500	450,00
6	ISI-501-212B	12	230/50	450	177,00
1	TN-3000-212B	10,5-15	230/50	3000	910,00

\* Vin 24 VDC (Solarni invertori)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
2	TN-1500-224B	21-30	230/50	1500	450,00
1	TN-3000-224B	21-30	230/50	3000	910,00
6	ISI-501-224B	24	230/50	500	177,00

\* Vin 48 VDC (SOLARNI invertori)

BOX	Model	Vin (VDC)	Vout (VAC/Hz)	Pout (W)	Cena €
2	TN-1500-248B	42-60	230/50	1500	450,00
1	TN-3000-248B	42-60	230/50	3000	910,00



### Accessory

BOX	Model	Cena €	Napomena
24	IRC02	23,5	Daljinski upravljač za invertore (TS-700/TS100/TS-1500/TS-3000)
24	IRC03	26,9	Daljinski upravljač za invertore (TN-1500/TN-3000)

### Battery charger

\* Stand alone-punjači Pb i Li-ion

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
16	PB-120P-13C	120	90-264	13,8	7,2	42,80
12	PB-230-12	230	90-264	14,4	16	59,60
12	PB-230-24	230	90-264	28,8	8	59,60
6	PB-300P-12	302	90-264	14,4	20,85	74,10
6	PB-300N-24	302	90-264	28,8	10,5	67,20
6	PB-360P-12	360	90-264	14,4	24,3	79,90
6	PB-360P-24	360	90-264	28,8	12,5	79,90
6	PB-600-12	605	90-264	14,4	40	173,50
6	PB-600-24	605	90-264	28,8	21	173,50
4	PB-1000-12	999	90-264	14,4	60	254,50
4	PB-1000-24	999	90-264	28,8	34,7	254,50
1	RPB-1600-12	1440	90-305	14,4	100	320,00
6	RPB-1600-24	1584	90-305	28,8	55	320,00

\* Desktop-punjači Pb i Li-ion

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
8	ESC-120-13.5	120	176-264	12-15	8	46,40
10	ENC-120-12	120	90-264	14,4	8	52,80
10	ENP-120-12	120	90-264	13,8	8,7	46,20
8	ESC-240-13.5	240	176-264	12-15	26	60,40
10	ENC-120-24	120	90-264	28,8	4	52,80
10	ENP-120-24	120	90-264	27,6	4,3	46,20
8	ESC-120-27	120	176-264	24-30	5	46,40
8	ESC-240-27	240	176-264	24-30	8	60,40

### Programabilni

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
6	RPB-1600-24	1600	90-264	24	55	320,00
6	RCB-1600-24	1600	90-264	24	55	340,00

## ADAPTER

### \* Desktop

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
60	GS18A05-P1J	15	90-264	5	3	10,50
100	GS12E12-P1J	12	90-264	12	1	8,90
60	GS18A12-P1J	18	90-264	12	1,5	10,50
60	GS25A12-P1J	25	90-264	12	2,08	10,80
60	GST25A12-P1J	25	85-264	12	2,08	10,80
40	GST40A12-P1J	40	90-264	12	3,34	12,80
40	GST40A24-P1J	40	90-264	24	1,67	12,80
40	GS60A12-P1J	60	90-264	12	5	16,80
40	GST60A12-P1J	60	90-264	12	5	14,20
40	GST60A24-P1J	60	90-264	24	2,5	14,20
40	GSM60B12-P1J	60	90-264	12	1,5	20,50
30	GS90A12-P1M	90	90-264	12	6,67	26,20
30	GST90A12-P1M	90	90-264	12	6,67	23,40
30	GS90A19-P1M	90	90-264	19	4,74	26,20
30	GS90A24-P1M	90	90-264	24	6,67	26,20
20	GST120A12-R7B	120	90-264	12	8,5	35,70
20	GST120A20-P1M	120	90-264	20	6	35,70

## Adapter

### \* Desktop

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
20	GST120A24-P1M	120	90-264	24	5	35,70
60	GST18E12-P1J	18	85-264	12	1,5	10,70

### \* Wall mounted

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (A)	Cena €
100	GS06E-2P1J	6	90-264	9	0,66	8,90
100	GS06E-3P1J	6	90-264	12	0,50	8,90
100	GS06E-4P1J	6	90-264	15	0,40	8,90
100	GS06E-6P1J	6	90-264	24	0,25	8,90
60	GS25E07-P1J	25	90-264	7,5	2,93	10,80

### \* KNX

BOX	Model	P(W)	Vin (VAC)	Vout (VDC)	Iout (mA)	Cena €
72	KNX-20E-640**	20	180-264	vout1=30 ca. "choko"	Iout1+Iout2=640	70,40

BOX	Model	input	output	Cena €
5	KSI-01U-KNX usb interface	5VDC (USB bus)	KNX Protocol	118,80
5	KSR 01IP-KNX IP Router	21~30VDC(KNX TP bus)	KNX Protocol	268,20
48	AAA-8R-KNX Universal Actuator			252,40
	KDA-64 KNX to DALI Gateway			448,20

\*\*KNX - based home, office, building