

CENOVNIK HYUNDAI ELECTRO ELECTRIC SYSTEM PROGRAMA

Beograd 01.04.2016. godine

No.	ARTIKAL	Opis	Cena(din)
Kontaktori UMC serija			
1	UMC910NSX220	UMC Magnetic Contactor,9A, 4KW,1NO+0NC,Safety Cover,AC, 50Hz,220V	1.240,00
2	UMC1210NSX220	UMC Magnetic Contactor, 5.5KW,1NO+0NC,Safety Cover,AC, 50Hz,220V	1.310,00
3	UMC1800NSX220	UMC Magnetic Contactor, 7.5KW, bez pomocnih kontakata	1.386,00
4	UMC2500NSX220	UMC Magnetic Contactor, 11KW, bez pomocnih kontakata	1.923,00
5	UMC3200NSX220	UMC Magnetic Contactor, 15KW, bez pomocnih kontakata	2.461,00
6	UMC4022NSX220	UMC Magnetic Contactor, 18.5KW, bez pomocnih kontakata	2.925,00
7	UMC5022NSX220	UMC Magnetic Contactor, 22KW,2NO+2NC,Safety Cover,AC, 50Hz,220V	4.859,00
8	UMC6500NSX220	UMC Magnetic Contactor, 30KW, bez pomocnih kontakata	5.986,00
9	UMC8522NSX220	UMC Magnetic Contactor, 45KW,2NO+2NC,Safety Cover,AC, 50Hz,220V	8.876,00
10	UMC10022NSF219	UMC Magnetic Contactor, 50KW,2NO+2NC,Safety Cover,AC/DC,220V	11.653,00
11	UMC11522NSF220	UMC Magnetic Contactor, 60KW,2NO+2NC,Safety Cover,AC/DC,220V	14.270,00
12	UMC15022NSF220	UMC Magnetic Contactor, 75KW,2NO+2NC,Safety Cover,AC/DC,220V	16.495,00
13	UMC22522NSF220	UMC Magnetic Contactor, 110KW,2NO+2NC,Safety Cover,AC/DC,220V	24.341,00
14	UMX 22NS X230	UMC Magnetic Contactor, 4KW,2NO+2NC,Safety Cover,AC,220V	1.483,00
15	UMX 31NS X230	UMC Magnetic Contactor, 4KW,3NO+1NC,Safety Cover,AC,220V	1.483,00
16	UMX 40NS X230	UMC Magnetic Contactor, 4KW,4NO,Safety Cover,AC,220V	1.483,00

17	UMCOL 12, 32	Kalem za kontaktor UMC12, 32	468,00
----	--------------	------------------------------	--------

Bimetalni UTH serija			
18	UTH12KA 0P70S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,0.5-0.7A,Safety Cover	1.292,00
19	UTH12KA 0P90S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,0.6-0.9A,Safety Cover	1.292,00
20	UTH12KA 1P20S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,0.8-1.2A,Safety Cover	1.292,00
21	UTH12KA 1P60S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,1.1-1.6A,Safety Cover	1.292,00
22	UTH12KA 2P10S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,1.5-2.1A,Safety Cover	1.292,00
23	UTH12KA 0003S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,2-3A,Safety Cover	1.292,00
24	UTH12KA 4P20S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,2.8-4.2A,Safety Cover	1.292,00
25	UTH12KA 0005S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,3-5A,Safety Cover	1.292,00
26	UTH12KA 0006S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,4-6A,Safety Cover	1.292,00
27	UTH12KA 0008S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,5.6-8A,Safety Cover	1.292,00
28	UTH12KA 0009S	UTH Thermol Overload Relay,UMC9/12, 3 Element,CALSS 10A,6-9A,Safety Cover	1.292,00
29	UTH32KA 0003S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,2-3A,Safety Cover	1.596,00
30	UTH32KA 4P20S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,2.8-4.2A,Safety Cover	1.596,00
31	UTH32KA 0005S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,3-5A,Safety Cover	1.596,00
32	UTH32KA 0006S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,4-6A,Safety Cover	1.596,00
33	UTH32KA 0009S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,6-9A,Safety Cover	1.596,00
34	UTH32KA 0012S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,8-12A,Safety Cover	1.596,00
35	UTH32KA 0018S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,12-18A,Safety Cover	1.596,00
36	UTH32KA 0022S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,15-22A,Safety Cover	1.596,00
37	UTH32KA 0025S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,17-25A,Safety Cover	1.596,00
38	UTH32KA 0032S	UTH Thermol Overload Relay,UMC18/25/32, 3 Element,CALSS 10A,22-32A,Safety Cover	1.596,00
39	UTH65KA 0018S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,12-18A,Safety Cover	2.095,00
40	UTH65KA 0025S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,17-25A,Safety Cover	2.095,00
41	UTH65KA 0032S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,22-32A,Safety Cover	2.095,00
42	UTH65KA 0040S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,28-40A,Safety Cover	2.095,00
43	UTH65KA 0050S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,34-50A,Safety Cover	2.095,00
44	UTH65KA 0065S	UTH Thermol Overload Relay,UMC40/50/65, 3 Element,CALSS 10A,45-65A,Safety Cover	2.095,00
45	UTH100KA 0032S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,22-32A,Safety Cover	2.660,00
46	UTH100KA 0040S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,28-40A,Safety Cover	2.660,00
47	UTH100KA 0050S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,34-50A,Safety Cover	2.660,00
48	UTH100KA 0065S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,45-65A,Safety Cover	2.660,00
49	UTH100KA 0075S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,52-75A,Safety Cover	2.660,00
50	UTH100KA 0100S	UTH Thermol Overload Relay,UMC75/85/100, 3 Element,CALSS 10A,70-100A,Safety Cover	2.660,00
51	UTH150KA 0130S	UTH Thermol Overload Relay,UMC115/130/150, 3 Element,CALSS 10A,78-130A,Safety Cover,	6.883,00
52	UTH265KA 0225S	UTH Thermol Overload Relay,UMC185/225/265, 3 Element,CALSS 10A,135-225A,Safety Cover,	13.832,00

Pomocni kontakti U-serije			
53	UAB04NS	UAB Auxiliary Contact Blocok,4NC,Safety Cover,	687,00
54	UAB22NS	UAB Auxiliary Contact Blocok,2NO+2NC,Safety Cover,	687,00
55	UAB40NS	UAB Auxiliary Contact Blocok,4NO,Safety Cover,	687,00
56	UAL1001INS	UMC 75-100 Side Auxiliary Contact Block,1NO+1NC,Safety Cover,	292,00
57	UAL6511NS	UMC 9-65 Side Auxiliary Contact block,1NO+1NC,Safety Cover,	292,00
58	UAB31NS	UAB Auxiliary Contact Blocok,3NO+1NC,Safety Cover,	687,00
59	UAB13NS	UAB Auxiliary Contact Blocok,1NO+3NC,Safety Cover,	687,00
60	UAB20NS	UAB Auxiliary Contact Blocok,2NO,Safety Cover	418,00
61	UAB02NS	UAB Auxiliary Contact Blocok,2NC,Safety Cover,	418,00
62	UAB11NS	UAB Auxiliary Contact Blocok,1NO+1NC,Safety Cover,	418,00

No.	ARTIKAL	Opis	Cena(din)
Direktni pokretaci motora			
63	MMS32K 0P25	0,16~0,25A	2.364,00
64	MMS32K 0P41	0,25~0,4A	2.364,00
65	MMS32K 0P63	0,4~0,63A	2.364,00
66	MMS32K 1P00	0,63~1A	2.364,00
67	MMS32K 01P6	1~1,6A	2.364,00
68	MMS32K 02P5	1,6~2,5A	2.364,00
69	MMS32K 0004	2,5~4A	2.364,00
70	MMS32K 06P3	4~6,3A	2.364,00
71	MMS32K 0010	6~10A	2.364,00
72	MMS32K 0014	9~14A	2.364,00
73	MMS32K 0018	13~18A	2.364,00
74	MMS32K 0023	17~23A	2.554,00
75	MMS32K 0025	20~25A	2.554,00
76	MMS32K 0032	24~32A	2.554,00
77	MMS80K 0040	25~40A	6.438,00
78	MMS80K 0063	40~63A	6.649,00
79	MMS80K 0080	56~80A	8.388,00
80	MMS32K AUX T11	pomoćni kontakt 1NO+1NC, montaza odozgo	536,00
81	MMS32K AUX S11	pomoćni kontakt 1NO+1NC, montaza sa leve strane	656,00
82	MMS32K AUX S20	pomoćni kontakt 2NO, montaza sa leve strane	656,00
83	MMS80K AUX S11	pomoćni kontakt 1NO+1NC, montaza sa leve strane	1.086,00
84	MMS32K SHT 240	naponski okidac AC220/240V, montaza sa desne strane	2.133,00
85	MMS32K UVT 240	podnaponska zastita AC220/240V, montaza sa desne strane	2.133,00
86	MMS32K ENC	kuciste za MMS32K IP55	698,00
Automatski osiguraci i FID sklopke			
6kA			
87	HIBD63-N 1PMCS0000C 00002	6kA,1p, C2A	264,00
88	HIBD63-N 1PMCS0000C 00004	6kA,1p, C4A	264,00
89	HIBD63-N 1PMCS0000C 00006	6kA,1p, C6A	236,00
90	HIBD63-N 1PMCS0000C 00010	6kA,1p, C10A	236,00
91	HIBD63-N 1PMCS0000C 00016	6kA,1p, C16A	236,00
92	HIBD63-N 1PMCS0000C 00020	6kA,1p, C20A	236,00
93	HIBD63-N 1PMCS0000C 00025	6kA,1p, C25A	236,00
94	HIBD63-N 1PMCS0000C 00032	6kA,1p, C32A	236,00
95	HIBD63-N 1PMCS0000C 00040	6kA,1p, C40A	264,00
96	HIBD63-N 1PMCS0000C 00050	6kA,1p, C50A	293,00
97	HIBD63-N 1PMCS0000C 00063	6kA,1p, C63A	307,00
98	HIBD63-N 3PMCS0000C 00006	6kA,3p, C6A	792,00
99	HIBD63-N 3PMCS0000C 00010	6kA,3p, C10A	792,00
100	HIBD63-N 3PMCS0000C 00016	6kA,3p, C16A	792,00
101	HIBD63-N 3PMCS0000C 00020	6kA,3p, C20A	792,00
102	HIBD63-N 3PMCS0000C 00025	6kA,3p, C25A	792,00
103	HIBD63-N 3PMCS0000C 00032	6kA,3p, C32A	792,00
104	HIBD63-N 3PMCS0000C 00040	6kA,3p, C40A	885,00
105	HIBD63-N 3PMCS0000C 00050	6kA,3p, C50A	981,00
106	HIBD63-N 3PMCS0000C 00063	6kA,3p, C63A	1.031,00
107	HIBD63-N 1PMCS0000B 00006	6kA,1p, B6A	236,00
108	HIBD63-N 1PMCS0000B 00010	6kA,1p, B10A	236,00
109	HIBD63-N 1PMCS0000B 00016	6kA,1p, B16A	236,00
110	HIBD63-N 1PMCS0000B 00020	6kA,1p, B20A	236,00
111	HIBD63-N 1PMCS0000B 00025	6kA,1p, B25A	236,00
112	HIBD63-N 1PMCS0000B 00032	6kA,1p, B32A	236,00
113	HIBD63-N 1PMCS0000B 00063	6kA,1p, B63A	307,00
4,5kA			
114	HIBD63-S 1PMCS0000C 00006	4,5kA,1p, C6A	197,00
115	HIBD63-S 1PMCS0000C 00010	4,5kA,1p, C10A	197,00
116	HIBD63-S 1PMCS0000C 00016	4,5kA,1p, C16A	197,00
117	HIBD63-S 1PMCS0000C 00020	4,5kA,1p, C20A	197,00
118	HIBD63-S 1PMCS0000C 00025	4,5kA,1p, C25A	197,00
119	HIBD63-S 1PMCS0000C 00032	4,5kA,1p, C32A	197,00
120	HIBD63-S 1PMCS0000B 00006	4,5kA,1p, B6A	197,00
121	HIBD63-S 1PMCS0000B 00010	4,5kA,1p, B10A	197,00
122	HIBD63-S 1PMCS0000B 00016	4,5kA,1p, B16A	197,00
123	HIBD63-S 1PMCS0000B 00020	4,5kA,1p, B20A	197,00
124	HIBD63-S 1PMCS0000B 00025	4,5kA,1p, B25A	197,00
125	HIBD63-S 1PMCS0000B 00032	4,5kA,1p, B32A	197,00

No.	ARTIKAL	Opis	Cena(din)
FID			
126	HIRC63 2PG4S0000C 00025G	2p. 25A, 30mA	1.588,00
127	HIRC63 2PG8S0000C 00025G	2p. 25A, 500mA	1.588,00
128	HIRC63 4PG4S0000C 00025G	4p. 25A, 30mA	2.781,00
129	HIRC63 4PG4S0000C 00040G	4p. 40A, 30mA	2.892,00
130	HIRC63 4PG7S0000C 00040G	4p. 40A, 300mA	2.892,00
131	HIRC63 2PG4S0000C 00040G	2p. 40A, 30mA	1.667,00
132	HIRC63 4PG8S0000C 00025G	4p. 25A, 500mA	2.637,00
133	HIRC63 4PG8S0000C 00040G	4p. 40A, 500mA	2.637,00
134	HIRC63 4PG4S0000C 00063G	4p. 63A, 30mA	3.327,00
135	HIRC63 4PG7S0000C 00063G	4p. 63A, 300mA	3.023,00
136	HIRC63 4PG8S0000C 00063G	4p. 63A, 500mA	3.023,00
Rastavljači			
137	HiSD125 3PD 00063	Rastavljač, 3p. 63A	590,00
138	HiSD125 3PD 00125	Rastavljač, 3p. 125A	762,00
ROBA DOK TRAJU ZALIHE			
Magnetni kontaktor, AC3, napon kalema 220V/50Hz snaga za napon motora 440Vac			
139	HiMC9W 11 S / 220X	4KW	1.023,00
140	HiMC12W 11 S / 220X	5.5KW	1.195,00
141	HiMC18W 11 S / 220X	7.5KW	1.449,00
142	HiMC22W 11 S / 220X	11KW	2.026,00
143	HiMC32W 22 S / 220X	15KW	3.181,00
144	HiMC40W 22 S / 220X	18.5KW	3.574,00
145	HiMC50W 22 S / 220X	22KW	5.788,00
146	HiMC65W 22 S / 220X	30KW	7.465,00
147	HiMC80W 22 S / 220X	37KW	8.589,00
148	HiMC110BW 22 S / 220X	55KW	11.967,00
149	HiMC150BW 22 S / 220X	75KW	15.442,00
150	HiMC180W 22 S / 220X	90KW	22.568,00
151	HiMC220W 22 S / 220X	110KW	24.715,00
152	HiMC260W 22 S / 220X	132KW	31.362,00
153	HiMC300W 22 S / 220X	160KW	33.965,00
154	HiMC400W 22 S / 220X	220KW	48.218,00
Magnetni kontaktor, AC3, DC			
155	HiMC9G 11 S / 24	4KW	2.112,00
156	HiMC9G 11 S / 110	4KW	2.112,00
157	HiMC22G 11 S / 24	11KW	3.370,00
158	HiMC32G 22 S / 24	15KW	4.647,00
159	HiMC40G 22 S / 60	18.5KW	6.688,00
160	HiMC50G 21 S / 60	22KW	9.750,00
Pomocni kontaktor, 10A			
161	HMT 22 / 24 DC	2NO+2NC za DC	1.842,00
162	HMX 22 / 220X	2NO+2NC za AC	1.172,00
163	HMX 31 / 220X	3NO+1NC za AC	1.172,00
164	HMX 40 / 220X	4NO+0NC za AC	1.172,00
Pomocni kontakt za HiMC			
165	HiAB22S	2NO+2NC za HiMC9-50	560,00
166	HiAB13S	1NO+3NC za HiMC9-50	560,00
167	HiAB31S	3NO+1NC za HiMC9-50	560,00
168	HiAB04S	0NO+4NC za HiMC9-50	560,00
169	HiAB40S	4NO+0NC za HiMC9-50	560,00
170	HiAB11S	1NO+1NC za HiMC9-50	290,00
171	HiAB02S	0NO+2NC za HiMC9-50	290,00
172	HiAB20S	2NO+0NC za HiMC9-50	290,00
173	HiAC22S	2NO+2NC za HMT/HMX	560,00
174	HiAC13S	1NO+3NC za HMT/HMX	560,00
175	HiAC31S	3NO+1NC za HMT/HMX	560,00
176	HiAC40S	4NO+0NC za HMT/HMX	560,00
177	HiAC11S	1NO+1NC za HMT/HMX	290,00
178	HiAC02S	0NO+2NC za HMT/HMX	290,00
179	HiAC20S	2NO+0NC za HMT/HMX	290,00
180	HiAL5S	1NO+1NC za HiMC65-130, 150B	505,00
181	HiAR6S	1NO+1NC za HiMC65-130, 150B	505,00
182	HiAL7S	1NO+1NC za HiMC150-800	505,00
183	HiAR8S	1NO+1NC za HiMC150-800	505,00
Bimetal			
184	HiTH22K 0.18 S	0.12A ~ 0.18A	1.450,00
185	HiTH22K 0.26 S	0.18A ~ 0.26A	1.450,00
186	HiTH22K 0.35 S	0.25A ~ 0.35A	1.450,00
187	HiTH22K 0.5 S	0.34A ~ 0.5A	1.450,00

No.	ARTIKAL	Opis	Cena(din)
188	HiTH22K 0.7 S	0.5A ~ 0.7A	1.450,00
189	HiTH22K 0.9 S	0.6A ~ 0.9A	1.450,00
190	HiTH22K 1.2 S	0.8A ~ 1.2A	1.450,00
191	HiTH22K 1.6 S	1.1A ~ 1.6A	1.450,00
192	HiTH22K 2.1 S	1.5A ~ 2.1A	1.450,00
193	HiTH22K 3 S	2A ~ 3A	1.450,00
194	HiTH22K 4.2 S	2.8A ~ 4.2A	1.450,00
195	HiTH22K 5 S	3A ~ 5A	1.450,00
196	HiTH22K 6 S	4A ~ 6A	1.450,00
197	HiTH22K 8 S	5.6A ~ 8A	1.450,00
198	HiTH22K 10 S	7A ~ 10A	1.450,00
199	HiTH22K 13 S	9A ~ 13A	1.450,00
200	HiTH22K 18 S	12A ~ 18A	1.450,00
201	HiTH22K 22 S	16A ~ 22A	1.450,00
202	HiTH40K 10 S	7A ~ 10A	2.129,00
203	HiTH40K 13 S	9A ~ 13A	2.129,00
204	HiTH40K 18 S	12A ~ 18A	2.129,00
205	HiTH40K 22 S	16A ~ 22A	2.129,00
206	HiTH40K 26 S	18A ~ 26A	2.129,00
207	HiTH40K 32 S	24A ~ 32A	2.129,00
208	HiTH40K 40 S	28A ~ 40A	2.129,00
209	HiTH50K 26 S	18A ~ 26A	2.500,00
210	HiTH50K 32 S	24A ~ 32A	2.500,00
211	HiTH50K 40 S	28A ~ 40A	2.500,00
212	HiTH50K 50 S	36A ~ 50A	2.500,00
213	HiTH90K 40 S	28A ~ 40A	3.734,00
214	HiTH90K 50 S	36A ~ 50A	3.734,00
215	HiTH90K 65 S	45A ~ 65A	3.734,00
216	HiTH90K 80 S	60A ~ 80A	3.734,00
217	HiTH90K 90 S	70A ~ 90A	3.734,00
218	HiTH130K 80 S	48A ~ 80A, CT type	7.075,00
219	HiTH130K 130 S	78A ~ 130A, CT type	7.075,00
220	HiTH220K 130 S	78A ~ 130A, CT type	8.511,00
221	HiTH220K 180 S	108A ~ 180A, CT type	8.511,00
220	HiTH220K 220 S	132A ~ 220A, CT type	8.511,00
221	HiTH300K 300 S	180A ~ 300A, CT type	9.275,00
222	HiTH500K 400 S	240A ~ 400A, CT type	12.354,00
Digitalna Zastita Motora - Standardni tip (Bez LCD Displeja)			
223	HiMP22K-PI-22 S / 220	4.4~22A, direktno povezivanje, inverzni, 3CT, 2SPST, 90~250V	4.846,00
224	HiMP40K-PI-40 S / 220	8.0~40A, direktna konekcija, inverzni, 3CT, 2SPST, 90~250V	4.962,00
Digitalna Zastita Motora - Deluxe tip (Sa LCD Displejom)			
225	HiMP-D06SI / 220	0,5~6A, vijak, zastita od kratkog spoja	14.054,00
226	HiMP-D60SI / 220	5~60A, vijak, zastita od kratkog spoja	14.558,00
Kabl za odvojenu ugradnju za HiMP Deluxe tip			
227	HiMP-CBL1	Duzina 1.0m	837,00
228	HiMP-CBL2	Duzina 2.0m	1.339,00
Adapter za odvojenu montazu HiTH			
229	HiTHMB 22 S	za HiTH22	387,00
230	HiTHMB 40 S	za HiTH40	618,00
231	HiTHMB 50 S	za HiTH50	966,00
232	HiTHMB 90 S	za HiTH90	1.084,00
Dodatak za kapacitivne terete			
233	HiAD 1A 22	1NO Pomocni kontakt + 6 otpornih zica za HiMC 9W ~ 22W	1.088,00
234	HiAD 1B 22	1NC Pomocni kontakt + 6 otpornih zica za HiMC 9W ~ 22W	1.088,00
235	HiAD 1A 50	1NO Pomocni kontakt + 6 otpornih zica za HiMC 32W ~ 50W	1.088,00
236	HiAD 1B 50	1NC Pomocni kontakt + 6 otpornih zica za HiMC 32W ~ 50W	1.088,00
RC clan			
237	HRC 40 / 380	Za HMX/HiMC 9W~40W, 240~380V	860,00
Elektronski tajmer, montaza na HiMC 9~40			
238	HOKZE1	90~240V (AC/DC)	1.932,00
239	HLB22	230V~ bistabilni rele	1.082,00
Mehanicka blokada [bez osnovne ploce]			
240	HiTL40	za HiMC 9 ~ 40	314,00
241	HiTL50	za HiMC 50	419,00
242	HiTL130	za HiMC 65 ~ 130, 110B, 150B	764,00
243	HiTL 220	za HiMC 150 ~ 220	973,00

Napomena: - Cene vaze za standardni napon kabela 230V/50Hz;

Za druge napone na cenu kontaktora dodaje se:

> za HiMC 9-22 i HMX.....300din

> za HiMC 32-40.....350din

> za HiMC 50-220.....8% na cenu kontaktora